

**ROAD-RATED**




# ASPHALT MILLING CONVEYOR BELTS

**FabClimb**




- Popular sizes are in stock at several locations for immediate shipment
- Designed to meet or exceed OEM standards
- Versatile profile designs allow for pattern heights from 1/2" to 1-1/4" tall
- Special splicing techniques produce a virtually seamless joint




Maine Industrial Plastics and Rubber Corporation

21 Teague Street - PO Box 381 - Newcastle, ME 04553

Phone: (207) 563-5532 Email: HGL@TIDEWATER.NET FAX: (207) 563-8457




**FabClimb 1 1/4" Tall**




**FabClimb 1 1/4" Tall**




**FabClimb Pattern (Left) vs OEM Pattern**




**Fablift 1" Tall**



**Longhorn 1" Tall**



**Bighorn 3/4" Tall**



**Bullhorn 1/2" Tall**

## Sizes In Stock To Fit Equipment Manufactured By

- **Roadtec - RX Series**  
RX 500, RX 700, RX 900
- **Wirtgen - W Series**  
W 1900, W 2000, W 2100, W 2200
- **Caterpillar - PR & PM Series**  
PM 200/565
- **CMI - PR Series**  
PR 500, PR 600, PR 800, PR 950
- **Bomag - MP Series**  
MP 2000
- **Dynapac - PL Series**  
PL 2000

## Splicing Options

- Super-Screw fasteners
- Vulcanized endless splice
- Flexco Meg Alloy 550
- 8" - 10" minimum pulley diameters
- Tapered cleat ends for smooth transitions
- Available in three belt constructions